Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	1553	quer$3 same attribute$1 same object$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 14:05
S5	460	(quer$3 same attribute$1 same object$1) and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/26 15:31
S6	106	707/100-104.1.ccls. and ((quer$3 same attribute$1 same object$1) and Java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/26 15:18
S7	1	(Java near propert$3) and (707/100-104.1.ccls. and ((quer$3 same attribute$1 same object$1) and Java))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/26 15:18
S8	16	(Java with propert$3) and (707/100-104.1.ccls. and ((quer$3 same attribute$1 same object$1) and Java))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/26 15:19
S9	10	(nest$2 near2 quer$3) and (quer$3 same attribute$1 same object$1) and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/26 15:31
S10	1	(nest$2 near2 quer$3) and (quer$3 same attribute$1 same object$1 same context) and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:46
S11	10	(nest$2 near2 quer$3) and (quer$3 same attribute$1 same object$1) and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/26 15:33
S12	9	(nest$2 near2 quer$3) and (quer$3 same attribute$1 same object$1) and result$1 and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/26 15:50
S13	18	quer$3 same (linear or hierach$4) same structure$1 same object$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/26 16:06

S14	1	"6263342".pn. and pars$3 and syntax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 11:33
S10 6	880	719/328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 14:04
S10 7	11253	707/3,4,5,6,100,102,103.y.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 14:04
S10 8	9843	707/100-104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 14:04
S10 9	252	(quer$3 or retriev$3) same attribute$1 same object$1 same page$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 14:06
S11 0	28	(quer$3 or retriev$3) same attribute$1 same object$1 same page$1 same identifier$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:21
S11 1	86	(quer$3 or retriev$3) same (object$1 same (page$1 near2 web) same identifier$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:22
S11 2	7	(quer$3 or retriev$3) with (object$1 same (page$1 near2 web) same identifier$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:34
S11 3	880	719/328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:25
S11 6	15055	707/3,4,5,6,100-104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:26

S11 7	14	S111 and S116	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 15:29
S11 8	2	quer$4 with (object$1 same ((content or page$1) near2 web) same identifier$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:40
S11 9	2	(nest$2 near2 quer$4) and (quer$3 same attribute$1 same object$1 same (context or (web near2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:47
S12 0	108	quer$4 and (quer$3 same attribute$1 same object$1 same (context or (web near2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:48
S12 1	15055	707/3,4,5,6,100-104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:48
S12 2	39	S120 and S121	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 15:48
S12 3	7490	procedur$3 and sql	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:40
S12 4	1741	procedur$3 same sql	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:40
S12 5	15071	707/3,4,5,6,100-104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:40
S12 6	4	(quer$4 or select) with (object$1 same ((content or page$1) near2 web) same identifier$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:47
S12 7	28	(quer$4 or select) with (object$1 same (content or page$1) same identifier$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:41

S12 8	0	S124 and S127 and if	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:42
S12 9	0	S124 and S127	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:42
S13 0	16	procedur$3 and S127	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:42
S13 1	0	procedur$3 and S127 and if	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:42
S13 2	68485	(quer$4 or select) with (object$1 or (content or page$1) or attribute$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:49
S13 3	2069	procedur$3 same S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:48
S13 4	87	(quer$4 or select) with (object$1 same (content or page$1) same attribute$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:48
S13 5	57	procedur$3 and S134	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:48
S13 6	3	procedur$3 same S134	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:49
S13 7	1077	(quer$4 or select) with (object$1 or (content or page$1) or attribute$1) with identifier$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:50
S13 8	35	procedur$3 same S137	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:54

S139	0	S138 and if	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:50
S140	5126	stored near2 procedure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 08:54
S141	10	S137 and S140	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/08 08:54